



R12LLB Bearing 2D drawings and 3D CAD models

NTN R12LLB deep groove ball bearings

Bearing No. R12LLB

Size	x41.275x11.112 mm
Outer Diameter	41,275 mm
Width	11,112 mm
D	41,275 mm
B	11,112 mm
C	11,112 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.01
EAN	4547359495997
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Inch
Long Description	3/4" Bore; 1-5/8" Outside Diameter; 7/16" Outer Race Width; 2 Seals; Ball Bearing;



Y.S INTERNATIONAL IMPORT&EXPORT CO., ...

	ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clear
Other Features	Deep Groove Miniature Bearing Non-Friction Nitrile Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	0.1
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	1.625 Inch 41.275 Millimeter
Bore	0.75 Inch 19.05 Millimeter
Outer Race Width	0.438 Inch 11.125 Millimeter
bore diameter:	0.7500 in
precision rating:	Class 0
outside diameter:	1.6250 in
finish/coating:	Uncoated
overall width:	0.4375 in
bearing material:	High Carbon Chrome
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	0.4375 in
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	0.4375 in
snap ring included:	Without Snap Ring
maximum rpm (grease):	18000 rpm



Y.S INTERNATIONAL IMPORT&EXPORT CO., ...

internal clearance:	CN
fillet radius:	0.0310 in
operating temperature range:	-40 to 250 ° F
maximum rpm:	21000 RPM
dynamic load capacity:	1370 lbf
series:	R
static load capacity:	890 lbf
manufacturer product page:	Click here